

AqBanking - Bug #216

Id: error: duplicate symbol

30.06.2020 22:15 - rsadowski

Status:	Closed	Beginn:	30.06.2020
Priorität:	High	Abgabedatum:	
Kategorie:	AqBanking		
Betriebssystem:	andere	Anwendung:	andere
AqBanking-Version:	6.2.1	Version der Anwendung:	

Beschreibung

Ich versuche das alte aqbanking package in OpenBSD zu aktualisieren. Leider laufe ich in folgenden linker Fehler. Es schaut so aus als ob einige static libs mehrmals gelinkt werden, oder?
Die Methoden gibt es auf jeden Fall nur einmal.

Kann jemand der tiefer im Code ist einen Fehler finden? Ich habe die ganze Log angehängt.
Würde mich über feedback freuen.

```
/usr/bin/libtool --tag=CC --mode=link cc -O2 -pipe -g -Wall -no-undefined -version-info 46:1:2
-L/usr/local/lib -lintl -g -o libaqbanking.la -rpath /usr/local/lib dummy.lo -L/usr/local/lib -lg
wenhywfar -lgmp aqbanking/libaqbanking_base.la plugins/libabplugins.la
libtool: link: cc -shared -fPIC -DPIC -o .libs/libaqbanking.so.2.0 -O2 -pipe -g -Wall -g .libs/dum
my.o -Wl,-whole-archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/aqbanking/.libs/l
ibaqbanking_base.a /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplu
gins.a -Wl,-no-whole-archive -L.libs -lintl -liconv -lgwenhywfar -lgcrypt -lgpg-error -lgnutls -lp
11-kit -lffi -lpthread -lidn2 -lunistring -ltasn1 -lnettle -lhogweed -lgmp -Wl,-soname,libaqbankin
g.so.2.0
ld: error: duplicate symbol: AO_V2_MkOfxHeader
>>> defined at n_header.c:31
>>> n_header.o:(AO_V2_MkOfxHeader) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking
-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at n_header.c:31
>>> n_header.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/s
rc/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: AO_V2_MkXmlHeader
>>> defined at n_header.c:60
>>> n_header.o:(AO_V2_MkXmlHeader) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking
-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at n_header.c:60
>>> n_header.o:(.text+0x170) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1
/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: AO_V2_RequestAccounts
>>> defined at r_accounts.c:31
>>> r_accounts.o:(AO_V2_RequestAccounts) in archive /usr/ports/pobj/aqbanking-6.2.1/aqb
anking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at r_accounts.c:31
>>> r_accounts.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1
/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: AO_V2_RequestStatements
>>> defined at r_statements.c:33
>>> r_statements.o:(AO_V2_RequestStatements) in archive /usr/ports/pobj/aqbanking-6.2.1
/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at r_statements.c:33
>>> r_statements.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2
.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_Control_AddUser
>>> defined at adduser.c:34
>>> adduser.o:(APY_Control_AddUser) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbankin
```

```

g-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at adduser.c:34
>>>          adduser.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: AO_Control_GetAccounts
>>> defined at getaccounts.c:33
>>>          getaccounts.o:(AO_Control_GetAccounts) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at getaccounts.c:33
>>>          getaccounts.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_Control_ListUsers
>>> defined at listusers.c:31
>>>          listusers.o:(APY_Control_ListUsers) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at listusers.c:31
>>>          listusers.o:(.text+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NEWUSER_DIALOG__INHERIT_ID
>>> defined at dlg_newuser.c:46
>>>          dlg_newuser.o:(APY_NEWUSER_DIALOG__INHERIT_ID) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:46
>>>          dlg_newuser.o:(.bss+0x0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_AddFlags
>>> defined at dlg_newuser.c:377
>>>          dlg_newuser.o:(APY_NewUserDialog_AddFlags) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:377
>>>          dlg_newuser.o:(.text+0xEE0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_DoIt
>>> defined at dlg_newuser.c:713
>>>          dlg_newuser.o:(APY_NewUserDialog_DoIt) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:713
>>>          dlg_newuser.o:(.text+0x1C90) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_EnterPage
>>> defined at dlg_newuser.c:655
>>>          dlg_newuser.o:(APY_NewUserDialog_EnterPage) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:655
>>>          dlg_newuser.o:(.text+0x19B0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_Fini
>>> defined at dlg_newuser.c:550
>>>          dlg_newuser.o:(APY_NewUserDialog_Fini) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:550
>>>          dlg_newuser.o:(.text+0x12A0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetApiPassword
>>> defined at dlg_newuser.c:161
>>>          dlg_newuser.o:(APY_NewUserDialog_GetApiPassword) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:161
>>>          dlg_newuser.o:(.text+0x560) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.

```

```

2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetApiSignature
>>> defined at dlg_newuser.c:191
>>>      dlg_newuser.o: (APY_NewUserDialog_GetApiSignature) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:191
>>>      dlg_newuser.o: (.text+0x6B0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetApiUserId
>>> defined at dlg_newuser.c:131
>>>      dlg_newuser.o: (APY_NewUserDialog_GetApiUserId) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:131
>>>      dlg_newuser.o: (.text+0x410) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetFlags
>>> defined at dlg_newuser.c:351
>>>      dlg_newuser.o: (APY_NewUserDialog_GetFlags) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:351
>>>      dlg_newuser.o: (.text+0xDC0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetHttpVMajor
>>> defined at dlg_newuser.c:311
>>>      dlg_newuser.o: (APY_NewUserDialog_GetHttpVMajor) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:311
>>>      dlg_newuser.o: (.text+0xC00) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetHttpVMinor
>>> defined at dlg_newuser.c:324
>>>      dlg_newuser.o: (APY_NewUserDialog_GetHttpVMinor) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:324
>>>      dlg_newuser.o: (.text+0xC90) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetSecretPageData
>>> defined at dlg_newuser.c:579
>>>      dlg_newuser.o: (APY_NewUserDialog_GetSecretPageData) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:579
>>>      dlg_newuser.o: (.text+0x1390) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: duplicate symbol: APY_NewUserDialog_GetUrl
>>> defined at dlg_newuser.c:281
>>>      dlg_newuser.o: (APY_NewUserDialog_GetUrl) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a
>>> defined at dlg_newuser.c:281
>>>      dlg_newuser.o: (.text+0xAB0) in archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a

ld: error: too many errors emitted, stopping now (use -error-limit=0 to see all errors)
cc: error: linker command failed with exit code 1 (use -v to see invocation)
Error while executing cc -shared -fPIC -DPIC -o .libs/libaqbanking.so.2.0 -O2 -pipe -g -Wall -g .libs/dummy.o -Wl,-whole-archive /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libaqbanking_base.a /usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs/plugins/.libs/libabplugins.a -Wl,-no-whole-archive -L.libs -lintl -liconv -lgwenhywfar -lgcrypt -lgpg-error -lgnu-tls -lssl -lffi -lpthread -lidn2 -lunistring -ltasn1 -lnettle -lhogweed -lgmp -Wl,-soname,libaqbanking.so.2.0
gmake[4]: *** [Makefile:765: libaqbanking.la] Error 2

```

```
gmake[4]: Leaving directory '/usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs'
gmake[3]: *** [Makefile:828: all-recursive] Error 1
gmake[3]: Leaving directory '/usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src/libs'
gmake[2]: *** [Makefile:469: all-recursive] Error 1
gmake[2]: Leaving directory '/usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1/src'
gmake[1]: *** [Makefile:757: all-recursive] Error 1
gmake[1]: Leaving directory '/usr/ports/pobj/aqbanking-6.2.1/aqbanking-6.2.1'
gmake: *** [Makefile:554: all] Error 2
*** Error 2 in . (/usr/ports/infrastructure/mk/bsd.port.mk:2925 '/usr/ports/pobj/aqbanking-6.2.1/.
build_done': @cd /usr/ports/pobj/aqbanking...)
*** Error 2 in /home/rsadowski/src/wip-ports/productivity/aqbanking (/usr/ports/infrastructure/mk/
bsd.port.mk:2584 'all': @lock=aqbanking-6....)
```

Historie

#1 - 13.11.2021 18:02 - martin

- Status wurde von New zu Feedback geändert

Besteht das Problem weiterhin?

#2 - 18.12.2021 01:38 - martin

- Status wurde von Feedback zu Closed geändert

Dateien

aqbanking-6.2.1.fullbuild.txt	404 KB	30.06.2020	rsadowski
-------------------------------	--------	------------	-----------