

AqBanking - Bug #311

Fehler bei aqhbc-tool4 getsysid / Commerzbank HBCI /

10.07.2024 10:14 - ShortyCGN

Status:	New	Beginn:	10.07.2024
Priorität:	Normal	Abgabedatum:	
Kategorie:	AqBanking	Anwendung:	aqbanking-cli
Betriebssystem:	Linux	Version der Anwendung:	Siehe Beschreibung
AqBanking-Version:	6.5.8		

Beschreibung

Es kommt folgende Ausgabe:

HBCI: 9050 - Die Nachricht enthält Fehler. (M)

HBCI: 9800 - Dialog abgebrochen (M)

HBCI: 9320 - Schlüssel ist nicht freigeschaltet. (M)

HBCI: 9340 - Ungültige Auftragsnachricht: Ungültige Signatur. (M)

3:2024/07/10 09-45-12:aqhbc(2824):jobqueue_dispatch.c: 186: Bad PIN flagged: 9340

Dialog aborted by server

3:2024/07/10 09-45-12:aqhbc(2824):provider_online.c: 266: Job has no system id and no iTAN results

3:2024/07/10 09-45-12:aqhbc-tool(2824):getsysid.c: 110: Error -1 [Generic error]

3:2024/07/10 09-45-12:aqhbc-tool(2824):aqhbc-tool.c: 275: Error calling control function (3)

Software Versionen:

aqbanking-cli versions

Versions:

AqBanking-CLI: 6.5.8

Gwenhywfar : 5.9.0.0

AqBanking : 6.5.8.0

Vollständige Details:

aqhbc-tool4 getsysid -u 1

6:2024/07/10 09-50-48:gwen(2916):gwenhywfar.c: 110: Error on br_init: 0

6:2024/07/10 09-50-48:gwen(2916):i18n.c: 205: Real locale is [en_US.UTF-8]

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "dbio" registered

6:2024/07/10 09-50-48:gwen(2916):dbio.c: 107: Adding plugin path [/usr/local/lib/gwenhywfar/plugins/79/dbio]

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "configmgr" registered

6:2024/07/10 09-50-48:gwen(2916):configmgr.c: 81: Adding plugin path [/usr/local/lib/gwenhywfar/plugins/79/configmgr]

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "ct" registered

6:2024/07/10 09-50-48:gwen(2916):ctplugin.c: 70: Adding plugin path [/usr/local/lib/gwenhywfar/plugins/79/ct]

6:2024/07/10 09-50-48:gwen(2916):args.c: 70: Argument¹ is "getsysid"

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 107: dlopen(/usr/local/lib/gwenhywfar/plugins/79/configmgr/dir):

/usr/local/lib/gwenhywfar/plugins/79/configmgr/dir: cannot open shared object file: No

such file or directory

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 127: Loaded library "/usr/local/lib/gwenhywfar/plugins/79/configmgr/dir.so"

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 243: Library "/usr/local/lib/gwenhywfar/plugins/79/configmgr/dir.so" loaded

6:2024/07/10 09-50-48:aqbanking(2916):banking_init.c: 68: AqBanking v6.5.8.0beta: initialising

6:2024/07/10 09-50-48:aqbanking(2916):banking_init.c: 185: Registering bankinfo plugin manager

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "bankinfo" registered

6:2024/07/10 09-50-48:aqbanking(2916):banking_init.c: 217: Registering provider plugin manager

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "provider" registered

6:2024/07/10 09-50-48:aqbanking(2916):banking_init.c: 249: Registering imexporters plugin manager

6:2024/07/10 09-50-48:gwen(2916):plugin.c: 589: Plugin type "imexporter" registered

6:2024/07/10 09-50-48:aqbanking(2916):banking_online.c: 169: Creating provider "aqhbc"

6:2024/07/10 09-50-48:aqbanking(2916):banking_online.c: 87: Plugin [aqhbc] compiled-in

4:2024/07/10 09-50-48:aqhbc(2916):provider.c: 151: Overriding loglevel for AqHBCI with "info"

5:2024/07/10 09-50-48:aqhbc(2916):provider.c: 158: Initializing AqHBCI backend

5:2024/07/10 09-50-48:aqhbc(2916):hbc.c: 136: Loading XML files

6:2024/07/10 09-50-48:gwen(2916):xmlrw.c: 1157: Finished element at depth 0

6:2024/07/10 09-50-48:gwen(2916):xmlrw.c: 1157: Finished element at depth 0

6:2024/07/10 09-50-48:gwen(2916):xmlrw.c: 1157: Finished element at depth 0

6:2024/07/10 09-50-48:gwen(2916):xmlrw.c: 1157: Finished element at depth 0

5:2024/07/10 09-50-48:aqhbc(2916):hbc(2916).c: 143: Adding XML descriptions
6:2024/07/10 09-50-48:gwen(2916):args.c: 70: Argument¹ is "-u"
6:2024/07/10 09-50-48:aqbanking(2916):provider_user.c: 24: Reading user (1)
6:2024/07/10 09-50-48:aqbanking(2916):banking_user.c: 20: Reading user config (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 218: Reading user from db (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 281: Reading HBCI data for user (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 418: Reading supported TAN methods (max 16)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 1995: Loading SEPA descriptors
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 101: Sampling BPD versions for job "JobGetAccountSepaInfo"
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 142: Job "JobGetAccountSepaInfo" needs BPD job "HISPAS"
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.001.09] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.001.03] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.003.03] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.001.08] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.001.02] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.003.02] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 02000000: HASMOREMSGSGS , was 00000000: <NONE>
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 550: Creating job [job "JobSync", flags 02000000: HASMOREMSGSGS]
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 94: Reading job description from XML files
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 02100000: DLGJOB HASMOREMSGSGS , was 02000000: HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 02180000: SINGLE DLGJOB HASMOREMSGSGS , was 02100000: DLGJOB HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 418: Single message job
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 025a0000: NEEDSIGN SINGLE DLGJOB SIGN HASMOREMSGSGS , was 02180000: SINGLE DLGJOB HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 027b0000: NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS , was 025a0000: NEEDSIGN SINGLE DLGJOB SIGN HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 027b8000: NOSYSID NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS , was 027b0000: NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 517: Changing flags of job "JobSync" to 027ba000: NOITAN NOSYSID NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS , was 027b8000: NOSYSID NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 430: JobSync: Signature needed according to job description in our XML files
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 132: Reading info from UPD job (if any)
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 139: Reading SEPA format descriptors (if any)
6:2024/07/10 09-50-48:aqhbc(2916):job_new.c: 150: JobSync: Job created
6:2024/07/10 09-50-48:aqhbc(2916):job_getsysid.c: 51: JobGetSysId created
6:2024/07/10 09-50-48:aqhbc(2916):outbox.c: 363: CBox for customer "1" not found
5:2024/07/10 09-50-48:aqhbc(2916):outbox.c: 384: Creating CBox for customer "1"
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 660: Changing status of job "JobSync" from "unknown" (0) to "todo" (1)
6:2024/07/10 09-50-48:aqhbc(2916):outbox.c: 276: Locking customer "1"
6:2024/07/10 09-50-48:aqbanking(2916):provider_user.c: 235: Locking customer "1"
6:2024/07/10 09-50-48:aqbanking(2916):provider_user.c: 24: Reading user (1)
6:2024/07/10 09-50-48:aqbanking(2916):banking_user.c: 20: Reading user config (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 218: Reading user from db (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 281: Reading HBCI data for user (1)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 418: Reading supported TAN methods (max 16)
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 1995: Loading SEPA descriptors
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 101: Sampling BPD versions for job "JobGetAccountSepaInfo"
6:2024/07/10 09-50-48:aqhbc(2916):job.c: 142: Job "JobGetAccountSepaInfo" needs BPD job "HISPAS"
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.001.09] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.001.03] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.001.003.03] for GV version 1
6:2024/07/10 09-50-48:aqhbc(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.001.08] for GV version 1

6:2024/07/10 09-50-48:aqhbci(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.001.02] for GV version 1

6:2024/07/10 09-50-48:aqhbci(2916):user.c: 2034: Adding SEPA descriptor [urn:iso:std:iso:20022:tech:xsd:pain.008.003.02] for GV version 1

6:2024/07/10 09-50-48:aqhbci(2916):outbox.c: 408: Preparing queues for customer "1"

6:2024/07/10 09-50-48:aqhbci(2916):cbox_prepare.c: 134: Preparing dialog jobs

6:2024/07/10 09-50-48:aqhbci(2916):cbox_prepare.c: 147: Preparing dialog job "JobSync"

6:2024/07/10 09-50-48:aqhbci(2916):job.c: 660: Changing status of job "JobSync" from "todo" (1) to "enqueued" (2)

6:2024/07/10 09-50-48:aqhbci(2916):cbox_prepare.c: 184: Preparing non-dialog jobs

6:2024/07/10 09-50-48:aqhbci(2916):outbox.c: 414: Preparing queues for customer "1": done

6:2024/07/10 09-50-48:aqhbci(2916):outbox.c: 495: Sending messages for customer "1"

6:2024/07/10 09-50-48:gwen(2916):gui_syncio.c: 146: No special handling of protocol "hbci", returning raw base layer.

6:2024/07/10 09-50-48:gwen(2916):syncio_socket.c: 254: Connected to "hbci.commerzbank.de"

6:2024/07/10 09-50-48:aqhbci(2916):cbox_queue.c: 141: Performing queue (loop 2)

JobQueue:

- JobSync((null))[1] (0-0): enqueued(2) [NOITAN NOSYSID NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSGSGS]

6:2024/07/10 09-50-48:aqhbci(2916):cbox_queue.c: 256: No acknowledge jobs enqueued.

5:2024/07/10 09-50-48:aqhbci(2916):cbox_queue.c: 319: Job "JobSync" with status "enqueued", trying to enqueue

6:2024/07/10 09-50-48:aqhbci(2916):cbox_queue.c: 170: Handling TODO jobs

5:2024/07/10 09-50-48:aqhbci(2916):cbox_send.c: 51: Encoding queue

6:2024/07/10 09-50-48:aqhbci(2916):jobqueue_tomsg.c: 108: Adding queue to message (flags: 00000067)

6:2024/07/10 09-50-48:aqhbci(2916):jobqueue_tomsg.c: 114: Queue doesn't need a TAN

6:2024/07/10 09-50-48:aqhbci(2916):jobqueue_tomsg.c: 130: Adding signer [0013481481]

6:2024/07/10 09-50-48:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref⁰"

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 367: Mode is: "rah"

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 368: Variable is: "systemid"

4:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 388: SystemId requested (deprecated), in mode "rah" variable "systemid"

6:2024/07/10 09-50-48:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref⁰"

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 367: Mode is: "rah"

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 368: Variable is: "product"

6:2024/07/10 09-50-48:aqhbci(2916):hbci.c: 216: Using given FinTS registration key

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 367: Mode is: "rah"

6:2024/07/10 09-50-48:aqhbci(2916):msgengine.c: 368: Variable is: "productversion"

6:2024/07/10 09-50-48:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref⁰"

6:2024/07/10 09-50-48:aqhbci(2916):job.c: 660: Changing status of job "JobSync" from "enqueued" (2) to "encoded" (3)

5:2024/07/10 09-50-48:aqhbci(2916):message.c: 640: Letting all signers sign

5:2024/07/10 09-50-48:aqhbci(2916):message.c: 648: Letting signer [0013481481] sign

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 107: dlopen(/usr/local/lib/gwenhywfar/plugins/79/ct/ohbci): /usr/local/lib/gwenhywfar/plugins/79/ct/ohbci: cannot open shared object file: No such file or directory

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 127: Loaded library "/usr/local/lib/gwenhywfar/plugins/79/ct/ohbci.so"

6:2024/07/10 09-50-48:gwen(2916):libloader.c: 243: Library "/usr/local/lib/gwenhywfar/plugins/79/ct/ohbci.so" loaded

6:2024/07/10 09-50-48:gwen(2916):ctfile.c: 75: Keyfile [/home/coba/hbci/hbci-schluessel/coba_schwab] locked. ===== Enter Password =====

Please enter the access password for /xxxx

Input: *****

5:2024/07/10 09-50-57:gwen(2916):ohbci.c: 287: Checking...

5:2024/07/10 09-50-57:gwen(2916):ohbci.c: 318: New OpenHBCI (1.6+) file detected

6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 390: Decrypting file

6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 423: Unpadding file

6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 445: Parsing file

6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1131: Adding mode "direct sign" to key

6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1457: Adding mode "direct sign" to key

6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 185: Keyfile [/home/coba/hbci/hbci-key] unlocked.

5:2024/07/10 09-50-57:gwen(2916):ctfile.c: 371: Keyfile unchanged, not reloading

5:2024/07/10 09-50-57:gwen(2916):ctfile.c: 371: Keyfile unchanged, not reloading

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref⁰"

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "version¹"

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "CID⁰"

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 611: Type "date" (for date) is external (write)

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 611: Type "time" (for time) is external (write)

6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "param⁰"

5:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_common.c: 725: AH_Msg_SignRxh(): doSHA256inSW (2nd).

6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 1394: Signing with key 1

5:2024/07/10 09-50-57:gwen(2916):ctfile.c: 371: Keyfile unchanged, not reloading

5:2024/07/10 09-50-57:gwen(2916):ctfile.c: 371: Keyfile unchanged, not reloading

6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 75: Keyfile [/home/coba/hbci/hbci-key] locked.
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 185: Keyfile [/home/coba/hbci/hbci-key] unlocked.
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
5:2024/07/10 09-50-57:aqhbci(2916):message.c: 662: Letting all signers sign: done
6:2024/07/10 09-50-57:aqhbci(2916):message.c: 1677: Logging to file
[/home/coba/.aqbanking/backends/aqhbci/data/banks/de/30080000/logs/20240710-095048-001.log]
6:2024/07/10 09-50-57:aqhbci(2916):hbci.c: 216: Using given FinTS registration key
5:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_encrypt.c: 82: RXH-encrypting message
5:2024/07/10 09-50-57:gwen(2916):ctfile.c: 371: Keyfile unchanged, not reloading
6:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_encrypt.c: 175: Padding message with ZKA method
6:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_encrypt.c: 268: Raw message key:
6:2024/07/10 09-50-57:aqhbci(2916):String size is 32
6:2024/07/10 09-50-57:aqhbci(2916):0000: d7 89 86 2d b5 bb 8b 78 f5 58 78 45 27 b2 b7 8c ...-...x.XxE'...
6:2024/07/10 09-50-57:aqhbci(2916):0010: ac 5c c9 84 2d c0 74 6d b0 3a cf a6 40 a2 ff c3 .\.-.tm:...@...
6:2024/07/10 09-50-57:gwen(2916):padd.c: 795: Padding with algo "leftzero"
6:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_encrypt.c: 278: Padded raw message key:
6:2024/07/10 09-50-57:aqhbci(2916):String size is 256
6:2024/07/10 09-50-57:aqhbci(2916):0000: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
.
. Ausgeschnitten
.
6:2024/07/10 09-50-57:aqhbci(2916):msgcrypt_rxh_encrypt.c: 291: Message key encrypted with bank public encryption key:
6:2024/07/10 09-50-57:aqhbci(2916):String size is 256
6:2024/07/10 09-50-57:aqhbci(2916):0000: 34 a2 3f df f5 a8 0e 44 37 00 7d 0c 42 71 26 d1 4.?....D7.}.Bq&.
.
. Ausgeschnitten
.
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "version"¹
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "CID"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 611: Type "date" (for date) is external (write)
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 611: Type "time" (for time) is external (write)
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "param"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
6:2024/07/10 09-50-57:gwen(2916):msgengine.c: 923: Value not found, omitting element "ref"⁰
6:2024/07/10 09-50-57:aqhbci(2916):message.c: 1677: Logging to file
[/home/coba/.aqbanking/backends/aqhbci/data/banks/de/30080000/logs/20240710-095048-001.log]
6:2024/07/10 09-50-57:aqhbci(2916):hbci.c: 216: Using given FinTS registration key
5:2024/07/10 09-50-57:aqhbci(2916):cbox_send.c: 28: Sending message
5:2024/07/10 09-50-57:aqhbci(2916):cbox_send.c: 36: Message sent
5:2024/07/10 09-50-57:aqhbci(2916):cbox_send.c: 66: Queue sent
6:2024/07/10 09-50-57:aqhbci(2916):job.c: 660: Changing status of job "JobSync" from "encoded" (3) to "sent" (4)
6:2024/07/10 09-50-57:aqhbci(2916):cbox_recv.c: 42: Response received
5:2024/07/10 09-50-57:aqhbci(2916):message.c: 1052: Mode is: rah
5:2024/07/10 09-50-57:aqhbci(2916):message.c: 1055: Decoding message:
6:2024/07/10 09-50-57:aqhbci(2916):message.c: 1677: Logging to file
[/home/coba/.aqbanking/backends/aqhbci/data/banks/de/30080000/logs/20240710-095048-001.log]
6:2024/07/10 09-50-57:aqhbci(2916):hbci.c: 216: Using given FinTS registration key
6:2024/07/10 09-50-57:aqhbci(2916):message.c: 1677: Logging to file
[/home/coba/.aqbanking/backends/aqhbci/data/banks/de/30080000/logs/20240710-095048-001.log]
6:2024/07/10 09-50-57:aqhbci(2916):hbci.c: 216: Using given FinTS registration key
6:2024/07/10 09-50-57:aqhbci(2916):msgcrypt.c: 147: No signatures
6:2024/07/10 09-50-57:aqhbci(2916):cbox_recv.c: 67: Message received and decoded
5:2024/07/10 09-50-57:aqhbci(2916):jobqueue_dispatch.c: 128: Found a result
6:2024/07/10 09-50-57:aqhbci(2916):jobqueue_dispatch.c: 173: Result: Error (9050: Die Nachricht enthält Fehler.)
HBCI: 9050 - Die Nachricht enthält Fehler. (M)
6:2024/07/10 09-50-57:aqhbci(2916):jobqueue_dispatch.c: 173: Result: Error (9800: Dialog abgebrochen)
HBCI: 9800 - Dialog abgebrochen (M)
6:2024/07/10 09-50-57:aqhbci(2916):jobqueue_dispatch.c: 173: Result: Error (9320: Schlüssel ist nicht freigeschaltet.)
HBCI: 9320 - Schlüssel ist nicht freigeschaltet. (M)
6:2024/07/10 09-50-57:aqhbci(2916):jobqueue_dispatch.c: 173: Result: Error (9340: Ungültige Auftragsnachricht: Ungültige Signatur.)

HBCI: 9340 - Ungültige Auftragsnachricht: Ungültige Signatur. (M)
3:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 186: Bad PIN flagged: 9340
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 609: Handling responses for message 1 (received message num is 1)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 624: Checking response "MsgHead" (seg num 1, ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 624: Checking response "MsgResult" (seg num 2, ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 624: Checking response "MsgTail" (seg num 3, ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_bpd.c: 107: No BPD in responses
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_account.c: 108: No account received.
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 766: Dispatching responses to queue 0
JobQueue:
- JobSync((null))[1] (3-5): sent(4) [NOITAN NOSYSID NEEDCRYPT NEEDSIGN SINGLE DLGJOB CRYPT SIGN HASMOREMSG
]
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 676: Checking response "MsgHead" (ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 676: Checking response "MsgResult" (ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 676: Checking response "MsgTail" (ref seg num 0)
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 777: Queue 1 has no reference queue
6:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 376: No TAN in job [JobSync]
5:2024/07/10 09-50-57:aqhbc(2916):jobqueue_dispatch.c: 92: Dialog logically aborted by peer, assuming bad PIN
6:2024/07/10 09-50-57:aqhbc(2916):cbox_rcv.c: 94: Dialog aborted by server
Dialog aborted by server
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 700: Error receiving queue response
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 726: here (-2)
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 754: Setting status of job "JobSync" to ERROR
6:2024/07/10 09-50-57:aqhbc(2916):job.c: 660: Changing status of job "JobSync" from "sent" (4) to "error" (6)
6:2024/07/10 09-50-57:gwen(2916):inetsocket.c: 304: Closing socket 3
6:2024/07/10 09-50-57:gwen(2916):syncio_socket.c: 277: Disconnected socket
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 639: Error performing queue (-2)
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 71: Error performing dialog queues (-2)
6:2024/07/10 09-50-57:aqhbc(2916):cbox_queue.c: 778: Finishing customer box
6:2024/07/10 09-50-57:aqhbc(2916):outbox.c: 440: Finishing customer outbox
6:2024/07/10 09-50-57:aqhbc(2916):outbox.c: 463: Skipping job "JobSync" because of status "error" (6)
6:2024/07/10 09-50-57:aqhbc(2916):outbox.c: 318: Unlocking customer "1"
6:2024/07/10 09-50-57:aqbanking(2916):provider_user.c: 258: Unlocking customer "1"
6:2024/07/10 09-50-57:aqhbc(2916):user.c: 255: Writing user db (1)
6:2024/07/10 09-50-57:aqhbc(2916):user.c: 475: Writing HBCI data for user (1)
3:2024/07/10 09-50-57:aqhbc(2916):provider_online.c: 266: Job has no system id and no iTAN results
6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 75: Keyfile [/home/coba/hbci-key] locked.
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ohbci.c: 1838: No key
6:2024/07/10 09-50-57:gwen(2916):ctfile.c: 185: Keyfile [/home/coba/hbci-key] unlocked.
3:2024/07/10 09-50-57:aqhbc-tool(2916):getsysid.c: 110: Error -1 [Generic error]
6:2024/07/10 09-50-57:aqbanking(2916):banking_online.c: 272: Error in provider control function (3)
5:2024/07/10 09-50-57:aqhbc(2916):provider.c: 209: Deinitializing AqHBCI backend
5:2024/07/10 09-50-57:aqhbc(2916):provider.c: 222: Setting version 06050800
6:2024/07/10 09-50-57:aqhbc(2916):hbci.c: 164: Deinitializing AH_HBCI
6:2024/07/10 09-50-57:aqhbc(2916):provider.c: 121: Destroying AH_PROVIDER
3:2024/07/10 09-50-57:aqhbc-tool(2916):aqhbc-tool.c: 275: Error calling control function (3)
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "provider" unregistered
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "bankinfo" unregistered
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "imexporter" unregistered
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "ct" unregistered
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "configmgr" unregistered
6:2024/07/10 09-50-57:gwen(2916):plugin.c: 620: Plugin type "dbio" unregistered

Historie

#1 - 10.07.2024 10:16 - ShortyCGN

Der INI Brief wurde ordnungsgemäss freigeschaltet das hat die Bank bestätigt

Hier gibt es noch jemand mit dem gleichen Problem: <https://homebanking-hilfe.de/forum/topic.php?t=25753>