

AqBanking - Bug #326

gwbuid failure

01.12.2025 19:26 - rhabacker

Status:	Closed	Beginn:	01.12.2025
Priorität:	Normal	Abgabedatum:	
Kategorie:		Anwendung:	aqbanking-cli
Betriebssystem:	Linux	Version der Anwendung:	6.7.13beta
AqBanking-Version:	6.7.13beta		

Beschreibung

With recent aqbanking source (git commit 592017ef5df8a02824fd16c890c39417ce00af5b) gwbuild fails to build. gwbuild has been build from actual gwenhyfwar sources. See the log below:

```
cd ~/src
git clone git@github.com:aqbanking/aqbanking.git
mkdir ~/src/aqbanking-gwbuild
cd ~/src/aqbanking-gwbuild
~/src/gwenhywfar/tools/gwenbuild/gwbuild -s ../aqbanking
3:2025/12/01 19-20-35:gwenbuild(2505):c_setup.c: 350: Tool "avra" not available (-51)
option prefix: /usr/local
option backends: aqhbci aqofxconnect aqebics aqpaypal aqgive aqnone
option imexporters: csv eri2 ofx openhbcil swift xmlldb yellownet sepa ctxfile q43 camt xml
option parsers: swift
option bankinfos: de
option enable_testcode: TRUE
option enable_gui_tests: TRUE
option local_install: FALSE
option debug: TRUE
dep gwenhywfar: found
dep gtk3: found
dep xmlsec: found
dep xml: found
dep xslt: found
dep zlib: found
lib gmp: found
compiler args has_symbol_visibility: TRUE
header locale.h: found
header libintl.h: found
header iconv.h: found
header fcntl.h: found
header stdlib.h: found
header string.h: found
header unistd.h: found
header assert.h: found
header ctype.h: found
header errno.h: found
header stdio.h: found
header strings.h: found
header netinet/in.h: found
header signal.h: found
function setlocale: found
function memmove: found
function memset: found
function strcasecmp: found
function strdup: found
function strerror: found
function snprintf: found
prog xmlmerge: found
prog xgettext: found
prog astyle: found
prog msgmerge: found
```

```
Entering folder "po"
Adding language catalog "de"
Leaving folder "po"
Entering folder "src"
Entering folder "libs"
Entering folder "aqbanking"
Entering folder "types"
Leaving folder "types"
Entering folder "gui"
Leaving folder "gui"
Entering folder "backendsupport"
Leaving folder "backendsupport"
Entering folder "dialogs"
Leaving folder "dialogs"
Entering folder "typemaker2"
Entering folder "c"
Leaving folder "c"
Leaving folder "typemaker2"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQBANKING_V
ERSION_TAG"
Leaving folder "aqbanking"
Entering folder "plugins"
Entering folder "bankinfo"
Entering folder "generic"
Leaving folder "generic"
Entering folder "de"
Leaving folder "de"
Leaving folder "bankinfo"
Entering folder "imexporters"
Entering folder "camt"
Leaving folder "camt"
Entering folder "csv"
Entering folder "profiles"
Leaving folder "profiles"
Leaving folder "csv"
Entering folder "ctxfile"
Leaving folder "ctxfile"
Entering folder "eri2"
Leaving folder "eri2"
Entering folder "ofx"
Entering folder "parser"
Leaving folder "parser"
Leaving folder "ofx"
Entering folder "openhbcil"
Leaving folder "openhbcil"
Entering folder "q43"
Leaving folder "q43"
Entering folder "sepa"
Leaving folder "sepa"
Entering folder "swift"
Entering folder "profiles"
Leaving folder "profiles"
Leaving folder "swift"
Entering folder "xml"
Entering folder "data"
Leaving folder "data"
Entering folder "profiles"
Leaving folder "profiles"
Leaving folder "xml"
Entering folder "xmldb"
Leaving folder "xmldb"
Entering folder "yellownet"
Leaving folder "yellownet"
Leaving folder "imexporters"
Entering folder "backends"
Entering folder "aqhbcil"
Entering folder "admjobs"
```

```

Leaving folder "admjobs"
Entering folder "ajobs"
Leaving folder "ajobs"
Entering folder "applayer"
Entering folder "xml"
Leaving folder "xml"
Leaving folder "applayer"
Entering folder "banking"
Leaving folder "banking"
Entering folder "control"
Leaving folder "control"
Entering folder "dialogs"
Leaving folder "dialogs"
Entering folder "joblayer"
Leaving folder "joblayer"
Entering folder "msglayer"
Leaving folder "msglayer"
Entering folder "tan"
Leaving folder "tan"
Leaving folder "aqhbc"
Entering folder "aqnone"
Leaving folder "aqnone"
Entering folder "aqofxconnect"
Entering folder "common"
Leaving folder "common"
Entering folder "control"
Leaving folder "control"
Entering folder "dialogs"
Leaving folder "dialogs"
Entering folder "libofxhome"
Leaving folder "libofxhome"
Entering folder "v1"
Leaving folder "v1"
Entering folder "v2"
Leaving folder "v2"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQOFXCONNEC
T_VERSION_STRING"
Leaving folder "aqofxconnect"
Entering folder "aqpaypal"
Entering folder "control"
Leaving folder "control"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQPAYPAL_VE
RSION_STRING"
Leaving folder "aqpaypal"
Entering folder "aqebics"
Entering folder "client"
Leaving folder "client"
Entering folder "dialogs"
Leaving folder "dialogs"
Entering folder "msg"
Leaving folder "msg"
Entering folder "requests"
Leaving folder "requests"
Entering folder "control"
Leaving folder "control"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQEBICS_VER
SION_STRING"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQEBICS_VER
SION_STRING"
Leaving folder "aqebics"
Entering folder "aqfints"
Entering folder "banking"
Entering folder "control"
Leaving folder "control"
Leaving folder "banking"
Entering folder "libaqfints"
Entering folder "msg"

```

```

Leaving folder "msg"
Entering folder "parser"
Leaving folder "parser"
Entering folder "service"
Entering folder "bpd"
Leaving folder "bpd"
Entering folder "upd"
Leaving folder "upd"
Entering folder "xml"
Leaving folder "xml"
Leaving folder "service"
Entering folder "session"
Entering folder "hbc"
Leaving folder "hbc"
Entering folder "pintan"
Leaving folder "pintan"
Leaving folder "session"
Entering folder "transport"
Leaving folder "transport"
Entering folder "typemaker2"
Leaving folder "typemaker2"
Leaving folder "libaqfints"
Leaving folder "aqfints"
Entering folder "aggivve"
Leaving folder "aggivve"
Leaving folder "backends"
Entering folder "parsers"
Entering folder "swift"
Leaving folder "swift"
Leaving folder "parsers"
Leaving folder "plugins"
Leaving folder "libs"
Entering folder "tools"
Entering folder "aqbanking-cli"
Leaving folder "aqbanking-cli"
Entering folder "mkdeinfo"
Leaving folder "mkdeinfo"
Leaving folder "tools"
Leaving folder "src"
Entering folder "admin"
Leaving folder "admin"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "all_includes"
4:2025/12/01 19-20-36:gwenbuild(2505):parser.c: 918: Warning: Empty value for DB var "AQBANKING_VERSION_TAG"
3:2025/12/01 19-20-36:gwenbuild(2505):gbuilderdescr.c: 169: here (-51)
3:2025/12/01 19-20-36:gwenbuild(2505):gwenbuild.c: 1078: Builder "msgfmt" not found
3:2025/12/01 19-20-36:gwenbuild(2505):gwenbuild.c: 1193: Could not create builder for type "I18nCatalog"
ERROR: Error making builders for targets.
ERROR: Error on setup build environment.

```

Historie

#1 - 01.12.2025 23:42 - martin

- Status wurde von New zu Feedback geändert

msgfmt is missing.

#2 - 02.12.2025 22:11 - martin

- Status wurde von Feedback zu Closed geändert